



Polar Premium White™ Liner

End Uses:

A fully bleached white top alternative for direct print, litho laminated and preprinted corrugated packaging applications. The superior strength and smoothness properties provide excellent printability and yield savings.

Fibre Source

British Columbia's northern forests produce some of the finest trees and fibre available for paper. The ideal climate encourages slow growth of white spruce, lodgepole pine and alpine fir. These trees produce cellulose fibres that are long, slender, flexible, and strong - providing an excellent furnish for kraft paper production. The readily collapsible thin cell walls of Canfor Pulp's fibres form ribbons with an exceptional surface area - promoting optimum fibre to fibre bonding for superior strength.

Typical Values – Imperial (1924-3)

Basis Weight	lb/1000 ft ²	13	16	18	20	22	26	31	Test Method
Caliper	mil	3.0	3.7	4.2	4.6	4.9	5.9	7.0	ISO 534
Porosity	Gurley	48	43	44	38	49	48	46	ISO 5636
Smoothness	WS Sheffield	187	208	225	235	243	259	266	ISO 8791-3
Burst	psi	41	48	53	58	67	78	83	ISO 2758
SCT	CD lbf/in	7.7	9.7	10.8	11.5	13.7	15.5	16.6	ISO 9895
Ring Crush	CD lbf/6 in	5.1	15.4	21.6	27.7	32.5	45.9	57.2	Tappi T822
Moisture	%	6	6	6	6	6	6	6	On-line scanner
Cobb (60 sec)	g/m ²	21	22	25	24	21	23	21	ISO 535
Brightness	ISO	83	83	83	83	83	83	83	ISO 2470-2
Whiteness	D65	89	88	87	83	87	87	88	ISO 11475
Formation	Techpap	101	97	94	99	103	119	125	
Opacity	%	78	84	87	90	90	93	96	ISO 2471

Paper Laboratory
Conditions:
50% RH, 23°C

Subject to order run minimums.

Certifications

Using innovative manufacturing technology, Canfor Pulp Ltd. products are made under the ISO 9001 and 14001 management programs to ensure consistency in quality, service and protection to the environment.

Canfor Pulp Ltd. papers are certified for Forest Stewardship Council™ Chain of Custody and PEFC Chain of Custody.

Canfor Pulp Ltd. papers are manufactured in compliance with FDA 21 CFR 176.170 and 176.180, German recommendation XXXVI, CONEG heavy metals and EC directive 94/62/EC.

Certificates of compliance to all applicable regulatory requirements will be supplied upon request.

Effective: January 1, 2017

Canfor Pulp Ltd. paper is produced by Canfor Pulp Ltd. and marketed worldwide by Premium 1 Papers:



820A Guy Street, Kelowna, BC, Canada V1Y 7R5
Tel: 250-870-5250 Fax: 250-870-5269 Toll Free: 1-866-611-5268
www.premium1papers.com
info@premium1papers.com

